



SOLUTIONS FOR YOUR SUCCESS

CASHMAN 

an Empire Southwest Company

RENTAL EQUIPMENT INDEX

Access Lift	page 13	Job Carts	page 14
Air Compressors	page 18	Light Towers.....	page 18
Accessories.....	page 18	Load Banks.....	page 19
Air Equipment.....	page 14	Material Transfers.....	page 9
Articulated Off Highway Trucks	page 7	Motor Graders.....	page 7
Attachments.....	page 10	Pallet Jacks.....	page 14
Construction Forklift.....	page 10	Pavers.....	page 9
Excavator.....	page 10	Power Distribution Equipment	page 20
Hammer	page 10	Pumps	page 23, 25-28
Skid Steer & Backhoe Loader	page 10	Accessories.....	page 24
Wheel Loader.....	page 10	Rock Screens	page 14
Automatic Transfer Switches	page 18	Scissor Lifts.....	page 12
Backhoe Loaders.....	page 6	Skid Steer Loaders	page 6
Attachments.....	page 10	Attachments.....	page 10
Boom Lifts.....	page 13	Skip Loaders (Gannon Box Tractors)	page 6
Brooms.....	page 14	Spill Containment Berms	page 19, 24
Cold Planers	page 9	Temporary Fencing.....	page 19
Compact Track Loaders (Track Skid Steer)	page 6	Transformers	page 19
Compactors.....	page 8	Vacuum Trailers	page 14
Dozers	page 7	Vertical I-Line Panels.....	page 18
Dump Trucks	page 9	Water Equipment	page 9
Excavators	page 5	Wheel Loaders	page 6
Forklifts.....	page 11	Attachments.....	page 10
Fuel Tanks.....	page 19		
Generators.....	page 14, 17		



CASHMAN



CAT
CASHMAN

140M

CAT

CASHMAN EQUIPMENT COMPANY AND YOU. TOGETHER, LET'S GET THE JOB DONE.

Founded in 1931 by James "Big Jim" Cashman, Cashman Equipment is one of the highest rated Caterpillar dealers in North America. A full service dealership, Cashman provides new and used equipment for sale and rental, as well as high-quality parts, service, and fluids analysis to mining, construction, paving, truck engine, on-highway truck, pump, and power system industries.

Caterpillar has recognized Cashman Equipment for top performance in machine sales, parts, skid steer loader sales, and after-market work tool attachment sales. We demand the best from our people, products, and services because our customers deserve unmatched support.

With five locations throughout the state of Nevada and the Eastern Sierras, Cashman Equipment employs 1,000+ dedicated professionals and is ranked as one of the largest women-owned business employers in the state. The stability of the company is surpassed only by its dedication to first-class customer service and to becoming a value-added partner in the success of your projects.

For more information, call 1.800.937.2326, visit www.cashmanequipment.com or follow us on Facebook (facebook.com/CashmanEquipment), Twitter ([@CashmanCat](https://twitter.com/CashmanCat)), Instagram (instagram.com/CashmanEquipment) or LinkedIn (LinkedIn.com/company/Cashman-Equipment).



CASHMAN RENTS

Cashman Rents offers a complete line of rental machines for all of your project needs, including on-highway water and dump trucks, aerial work platforms, and the full top-to-bottom line of Caterpillar products.

- New & low-hour Cat & allied rental equipment
- Customer service representatives dedicated to providing machines & information to keep customers in production
- Field service & mechanical support committed to eliminating downtime
- Equipment operator trainers & safety solutions for all of our product lines
- A fleet of transport trucks for efficient and on-time delivery & pick up of any machine
- Technology support & solutions, with everything from information apps to GPS guidance systems for machine control

CASHMAN RENTS



Elko
775.778.6588

Henderson
702.633.4540

Reno
775.332.5450

Susanville
530.255.2922

Winnemucca
775.625.8589

RENTAL EQUIPMENT LIST – EARTHMOVING

MINI EXCAVATORS



MODEL	HORSEPOWER	WEIGHT	WIDTH	DIG DEPTH
300.9	13.0 hp	2170 lbs	28"	5' 8"
301.7	17.7 hp	3726 lbs	39"	7' 4"
302.7	20.7 hp	5886 lbs	62"	8' 10"
303.5	24.8 hp	8209 lbs	70"	10' 4"
304	40.2 hp	8996 lbs	77"	11' 3"
306	55.9 hp	15766 lbs	78"	13' 6"
307.5	55.9 hp	18152 lbs	90"	13' 6"
308	65.0 hp	18519 lbs	91"	13' 7"
310	69.5 hp	22451 lbs	97"	17' 10"

MEDIUM EXCAVATORS



MODEL	HORSEPOWER	WEIGHT	WIDTH	DIG DEPTH	MISC.
314	89 hp	32600 lbs	8' 2"	19' 6"	compact radius tail
315	100 hp	37794 lbs	8' 6"	18' 11"	compact radius tail
316	113 hp	38801 lbs	8' 10"	21' 7"	
317	113 hp	38801 lbs	8' 10"	21' 7"	
320	153 hp	54450 lbs	9' 9"	22' 1"	
325	161 hp	50900 lbs	9' 9"	22' 1"	compact radius tail

LARGE EXCAVATORS



MODEL	HORSEPOWER	WEIGHT	WIDTH	DIG DEPTH	MISC.
330	239 hp	64220 lbs	10' 6"	23' 9"	
335	204 hp	83703 lbs	10' 10"	21' 2"	compact radius tail
336	322 hp	88400 lbs	11' 1"	24' 7"	
352	396 hp	117500 lbs	11' 11"	26' 11"	
374	472 hp	165721 lbs	11' 11"	28' 2"	

RENTAL EQUIPMENT LIST – EARTHMOVING

MEDIUM WHEEL LOADERS



MODEL	CAPACITY	HORSEPOWER	WEIGHT	BUCKET
907	1.13 yd	73 hp	12677 lbs	SSL Fit
926	3.0 yd	148 hp	28770 lbs	Fusion Coupler
930	3.2 yd	157 hp	30879 lbs	Fusion Coupler
938	3.5 yd	182 hp	36216 lbs	Fusion Coupler

LARGE WHEEL LOADERS



MODEL	CAPACITY	HORSEPOWER	WEIGHT	BUCKET
950	4.25 yd	216 hp	39200 lbs	Fusion Coupler
966	5.5 yd	283 hp	50410 lbs	Fusion Coupler
980	7.5 yd	392 hp	66576 lbs	Pin-on Bucket
988	10.0 yd	520 hp	110634 lbs	Pin-on Bucket

BACKHOE LOADERS



MODEL	DRIVE	HORSEPOWER	WEIGHT	DIG DEPTH
420	4X4	93 hp	24251 lbs	17' 9"
430	4X4	108 hp	24251 lbs	19' 6"
450	4X4	127 hp	27115 lbs	17' 2"

SKIP LOADERS



MODEL	DRIVE	HORSEPOWER	WEIGHT	BUCKET
415IL	4X4	72 hp	14150 lbs	1.2 yd

SKID STEER LOADERS



MODEL	HORSEPOWER	WEIGHT	LOAD	WIDTH
TX525*	25 hp	1904 lbs	533 lbs	34"
226	67.0 hp	5705 lbs	1550 lbs	60"
236	74.0 hp	6559 lbs	2150 lbs	66"
246	72.9 hp	7224 lbs	2150 lbs	66"
262 HR	74.0 hp	8011 lbs	2700 lbs	66"
272	98.0 hp	9133 lbs	3450 lbs	72"

COMPACT TRACK LOADERS



MODEL	HORSEPOWER	WEIGHT	LOAD	WIDTH
239	67.0 hp	7289 lbs	2050 lbs	66"
249	67.0 hp	7685 lbs	2300 lbs	66"
259	74.0 hp	9900 lbs	2935 lbs	72"
279	74.0 hp	10527 lbs	2935 lbs	78"
289	74.3 hp	10533 lbs	3800 lbs	78"
299	98 hp	11464 lbs	3480 lbs	78"

*Walk Behind

Ask about cab options. Work tool attachments are available for most models. See page 10 for details.

RENTAL EQUIPMENT LIST – EARTHMOVING

DOZERS



MODEL	HORSEPOWER	WEIGHT	BLADE TYPE	BLADE WIDTH
D2 / D4K	92 hp	18382 lbs	6 way	109"
D3 / D5K	104 hp	20640 lbs	6 way	109"
D4 / D6K	130 hp	29259 lbs	6 way	126"
D5 / D6N	170 hp	42263 lbs	6 way	161"
D6 / D6T	215 hp	50733 lbs	4 way	158"
D8	354 hp	87600 lbs	4 way	162"
D9	452 hp	110225 lbs	4 way	184"
D10	600 hp	154700 lbs	4 way	193"

MOTOR GRADERS



MODEL	HORSEPOWER	WEIGHT	BLADE WIDTH	MACHINE WIDTH
65E Mini	114 hp	16800 lbs	10'	7' 8"
140 AWD	200 hp	45917 lbs	14'	8' 3"
140	259 hp	53738 lbs	16'	9' 2"
150	200 hp	43950 lbs	14'	8' 3"
160 AWD	221 hp	45547 lbs	16'	8' 3"

ARTICULATED OFF HIGHWAY TRUCKS



MODEL	HORSEPOWER	WEIGHT	CAPACITY	WIDTH
730	367 hp	69531 lbs	3500 gal	10' 8"
740GC	439 hp	71377 lbs	29.7 yd	11' 5"
745	511 hp	76634 lbs	33.0 yd	11'

RENTAL EQUIPMENT LIST – COMPACTION EQUIPMENT

SMOOTH DRUM COMPACTORS



MODEL	HORSEPOWER	WEIGHT	DRUM SIZE	SPEED
CS34	74 hp	9799 lbs	50"	5.5 max mph
CS44	100 hp	15212 lbs	66"	7.6 max mph
CS56	157 hp	25346 lbs	84"	7.0 max mph

PADFOOT DRUM COMPACTORS



MODEL	HORSEPOWER	WEIGHT	DRUM SIZE	SPEED
CP34	74 hp	11000 lbs	50"	5.5 max mph
CP44	100 hp	16832 lbs	66"	7.6 max mph
CP56	157 hp	25707 lbs	84"	7.0 max mph
815	249 hp	49652 lbs	39"	11.4 max mph
825	405 hp	78326 lbs	14.9"	12.2 max mph

PNEUMATIC COMPACTORS



MODEL	HORSEPOWER	WEIGHT	DRUM SIZE	SPEED
CW14	101 hp	28528 lbs	69"	11.0 max mph
CW34	133 hp	59525 lbs	82"	12.0 max mph

DOUBLE DRUM COMPACTORS



MODEL	HORSEPOWER	WEIGHT	DRUM SIZE	SPEED
CB14 / CB1.7 / CB1.8	23 hp	3374 lbs	35"	6.0 max mph
CB22 / CB2.5	36 hp	5639 lbs	39"	7.5 max mph
CB24 / CB2.7	36 hp	6093 lbs	47"	7.5 max mph
CB34 / CB4.0	49 hp	8157 lbs	51"	8.0 max mph
CB44 / CB7	100 hp	19015 lbs	59"	7.0 max mph
CB54 / CB10	120 hp	21638 lbs	67"	7.0 max mph
CB54XW / CB13	142 hp	28440 lbs	79"	8.0 max mph
CB64 / CB15	142 hp	28958 lbs	84"	8.0 max mph

SMALL COMPACTION



MODEL	BRAND
Small Plate Compactors	Multiquip MVC88 or Wacker WP1550
Rammers/Jumping Jacks	Multiquip MTX70 or Wacker BS60 or Wacker BT65
24-33" Trench Roller Compactor	Bomag BMP 8500 or Wacker RT82

RENTAL EQUIPMENT LIST – PAVING EQUIPMENT

PAVERS



MODEL	FUEL CAPACITY	WEIGHT	WIDTH	SPEED
Weiler P195	25 gal	13000 lbs	4.58'	233 fpm
Weiler P385B	34 gal	20500 lbs	8.50'	150 fpm

COLD PLANERS



MODEL	HORSEPOWER	WEIGHT	WIDTH	SPEED
PM312	325 hp	48153 lbs	8.37'	3.4 max mph
PM622	630 hp	66140 lbs	9.15'	3.7 max mph

MATERIAL TRANSFER



MODEL	HORSEPOWER	WEIGHT	TURN RADIUS	SPEED
Weiler E2850	300 hp	76200 lbs	14'	10 max mph

RENTAL EQUIPMENT LIST – WATER & ON-HIGHWAY TRUCKS

TRUCKS



MODEL	HORSEPOWER	CAPACITY	WEIGHT
3 yd Dump Truck	330 hp	3-4 yd	19500 GVW
5 yd Dump Truck	200 hp	5-7 yd	26000 GVW
10 yd Dump Truck	300 hp	10-14 yd	58000 GVW

WATER EQUIPMENT



MODEL	GALLONS	HORSEPOWER	TRANSMISSION	WEIGHT/WIDTH
Water Truck	2000	200 hp	6 speed	26000 GVW
Water Truck	4000	300 hp	10 speed	58000 GVW
740/745 Articulated Truck	8000	489 hp	8 speed	11'
Water Stand Tank	12000	Towable	13' 5" height	96"
Water Trailer	500	Towable	2" centrifugal pump	68"

RENTAL EQUIPMENT LIST – WORK TOOL ATTACHMENTS

HAMMER ATTACHMENTS



Variety of hammer attachments available for Cat excavators, backhoe loaders, skid steer loaders and compact track loaders. Talk to your local sales representative.

EXCAVATOR ATTACHMENTS



WORK TOOL

Compaction Wheels
Ripper
Thumb
Krypto Klaw Hydraulic Thumb Bucket

CONSTRUCTION FORKLIFT ATTACHMENTS



WORK TOOL

Bucket
Truss Boom
Jib and Swivel Carriage
Lifting Hook

COMPATIBLE MODEL

All
All
All
All

WHEEL LOADER ATTACHMENTS



WORK TOOL

Plow
Utility Forks
GP Bucket
Utility Arm

COMPATIBLE MODEL

907-966
907-988
907-988
907-988

SKID STEER & BACKHOE LOADER ATTACHMENTS



WORK TOOL

Thumb
Compaction Wheel
Auger Drive
Auger Bits

Pickup Broom
Angle Broom
Landscape Rake
Landscape Tiller

Pallet Forks
Grapple Bucket
Brushcutter
Light Material Bucket

Trencher
6-Way Dozer Blade
Mulching Head
Box Blade

RENTAL EQUIPMENT LIST – FORKLIFTS

MATERIAL HANDLING INDUSTRIAL FORKLIFTS



MODEL	LOAD	LIFT / REACH	WEIGHT	HORSEPOWER
GP 25	5500 lbs	13' 6"	7000 lbs	63 hp
DP 50	11000 lbs	11'	15875 lbs	84 hp
DP 70	15000 lbs	16'	20770 lbs	94 hp
DP 160	36000 lbs	10'	41756 lbs	173 hp

TELEHANDLER* – CONSTRUCTION FORKLIFTS



MODEL	LOAD	LIFT / REACH	HORSEPOWER
TH255 / GTH-5519	5500 lbs	18'	74 hp
TH408	8800 lbs	24'	124 hp
TL642 / 6042	6500 lbs	42'	74 hp
6036	6000 lbs	36'	74 hp
8042	8000 lbs	42'	110 hp
TL943	9000 lbs	43'	111 hp
TL1055 / 10054	10000 lbs	55'	142 hp
TL1255 / 12054	12000 lbs	54'	142 hp
GTH-1544	15000 lbs	44'	154 hp

RENTAL EQUIPMENT LIST – AERIAL

ELECTRIC SCISSOR LIFTS



TYPE	PLATFORM HEIGHT	WIDTH	WEIGHT
AWP-30	29' 6"	2' 5"	777 lbs
AWP-40	40' 4"	2' 5"	1040 lbs
GR20 / 20MVL	19' 9"	2' 7.5"	2451 lbs
Micro 13XD (extra deck)	13'	2' 7.5"	2116 lbs
1330SE	13'	2' 7.5"	2066 lbs
Micro 19XD	19'	2' 8"	2952 lbs
19/3219	19'	2' 8"	2860 lbs
26/GS-2632/3226/2632ES	26'	2' 8"	4729 lbs
GS-1930	19'	2' 6"	3209 lbs
GS-2646	26'	3' 9.5"	4346 lbs
GS-3232	32'	2' 8"	5367 lbs
GS-3246/4632/3246ES	32'	3' 10"	5218 lbs
GS-4047	39'	3' 10"	7185 lbs

ROUGH TERRAIN SCISSOR LIFTS



TYPE	PLATFORM HEIGHT	WIDTH	WEIGHT
26' RT Scissor	26'	5' 8"	8160 lbs
32' RT Scissor	32'	5' 8"	8560 lbs
33' RT Scissor	33'	7' 6"	13760 lbs
40' RT Scissor	40'	5' 9"	11150 lbs
43' RT Scissor	43'	7' 6"	13760 lbs
53' RT Scissor	53'	7' 6"	16698 lbs

RENTAL EQUIPMENT LIST – AERIAL

ELECTRIC BOOM LIFTS



TYPE	PLATFORM HEIGHT	WIDTH	WEIGHT
30' Electric Articulating Boom	30'	3' 11"	14220 lbs
33' Electric Articulating Boom	33'	4' 10"	11400 lbs
40' Electric Articulating Boom	40'	4' 11"	15300 lbs
T500J/TZ50 Towable Boom Lift	50'	5' 7"	4800 lbs

ROUGH TERRAIN STRAIGHT BOOM LIFTS*



TYPE	PLATFORM HEIGHT	WIDTH	WEIGHT
40-45' Straight Boom	40-45'	7' 7"	15230 lbs
60-65' Straight Boom	60-65'	8' 2"	22270 lbs
80-85' Straight Boom	80-85'	8' 2"	38000 lbs
125' Straight Boom	125'	8' 1"	44640 lbs
135' Straight Boom	135'	8' 2"	47500 lbs

ROUGH TERRAIN ARTICULATED BOOM LIFTS*



TYPE	PLATFORM HEIGHT	WIDTH	WEIGHT
45' Articulating Boom	45'	7' 6"	13400 lbs
60' Articulating Boom	60'	8' 2"	22691 lbs
62' Articulating Boom	62'	8' 2"	22690 lbs
80' Articulating Boom	80'	8' 2"	37500 lbs
135' Articulating Boom	135'	8' 2"	45200 lbs

ACCESS LIFT



TYPE	PLATFORM HEIGHT	WIDTH	WEIGHT
X500AJ	49'	2' 7"	5071 lbs

RENTAL EQUIPMENT LIST – MISCELLANEOUS

AIR EQUIPMENT



TYPE	MISC
Compressor	110 CFM
Compressor	185 CFM
Hammer	30 lbs, 60 lbs, or 90 lbs
Extra point / chisel / spade	–
Backfill Tamper	–

PORTABLE GENERATORS



MODEL	POWER	HOURS	WEIGHT
(Multiple)	5-6kW	5.8-15 hrs	123-200 lbs
BGP4501RS	3.6kW	16 hrs	104 lbs
BGP6500	6500W	14 hrs	139 lbs

MATERIAL HANDLING



MODEL	MISC	WORKING HEIGHT	WIDTH	WEIGHT
Pallet Jack	5000 lb capacity	–	–	–
SLC24	–	24'	2' 9"	347 lbs

JOB CARTS



MODEL	HORSEPOWER	WIDTH	MISC.
2 SEAT GAS	50 hp (Gas)	63"	1000 lb bed capacity
2 SEAT DIESEL	25 hp (Diesel)	63"	1000 lb bed capacity
4 SEAT GAS	50 hp (Gas)	85"	45 mph top speed
4 SEAT DIESEL	25 hp (Diesel)	85"	25 mph top speed
E-Z-GO 2-Seat	Electric	44"	Flatbed
E-Z-GO 3-Wheel	Electric	30"	Carrier

BROOMS



MODEL	CANOPY	WEIGHT	WIDTH
RPT-350	Cab	5000 lbs	96"

ROCK SCREENS



MODEL
10'
12'

VACUUM TRAILERS*



MODEL	SPOIL CAPACITY	WEIGHT	WATER PRESSURE
HX30	500 Gal	9999 GVWR	3000 PSI

*Gas & Diesel and High Flow Options Available



CAT
Rental Power


CASHMAN
Power Solutions **CAT**

POWER SOLUTIONS

Cashman Power delivers more megawatts of power statewide than all our competitors combined. Large or small, we have the right products, technology, and power professionals to keep you running at 100% efficiency. Below are a few of our products and services.

- Field service trucks & 24-hour availability
- All industrial Cat & allied brand engines
- Computer Protection Systems (CPS)
- Uninterruptible power supply (UPS) equipment & service maintenance
- Qualified professionals dedicated to ensuring your facility is power protected
- Rentals - Sales - Rental Purchase Option - Financing - Parts & Service
- 24/7 on call emergency power solutions
- Load banks for testing electrical power output on generators, gas turbines and UPS systems

Fleet Reach Telematics monitors fault codes, location, fuel, hours, and more!
This product is also available for rent or purchase.



Reno
775.332.2406

Henderson
702.639.5032

Elko
775.778.6524

POWER RENTAL EQUIPMENT LIST

MODULAR GENERATORS



MODEL	kW	VOLTAGE	CONTAINER SIZE	TOWING
XQ500	500kW	208V/480V	20'	5th Wheel Trailer; 32000 lbs
XQ570	500kW	208V/480V	20'	5th Wheel Trailer; 24450 lbs
XQ800	800kW	208V/480V	30'	5th Wheel Trailer; 45000 lbs
XQ1000	1000kW	208V/480V	40'	5th Wheel Trailer; 47000 lbs
XQ1140	1000kW	208V/480V	40'	5th Wheel Trailer; 67000 lbs
XQ1500	1500kW	480V	40'	5th Wheel Trailer; 62000 lbs
XQ2000	2000kW	480V	40'	5th Wheel Trailer; 93000 lbs

SHOVEL MOTIVATOR



MODEL	kW	VOLTAGE	CONTAINER SIZE	TOWING
Motivator	2000kW	480-1380V	40'	5th Wheel Trailer; 63000 lbs

TRAILER MOUNTED GENERATORS



MODEL	kW / kVa	VOLTAGE	TRAILER SIZE	TOWING
DCA25	20kW	208V/240V/480V	12' Single Axle	Pintle Hitch; 3100 lbs
DGK25	20kW	208V/240V/480V	10' Single Axle	Pintle Hitch; 2879 lbs
DCA45	36kW	208V/240V/480V	12' Tandem Axle	Pintle Hitch; 4500 lbs
DGK45	36kW	208V/240V/480V	13' Tandem Axle	Pintle Hitch; 3784 lbs
DCA70	56kW	208V/240V/480V	14' Tandem Axle	Pintle Hitch; 5600 lbs
DGK70	56kW	208V/240V/480V	13' Tandem Axle	Pintle Hitch; 4998 lbs
DCA125	100kW	208V/240V/480V	15' Tandem Axle	Pintle Hitch; 10000 lbs
DGK125	100kW	208V/240V/480V	16' Tandem Axle	Pintle Hitch; 8117 lbs
XQ125	100kW	208V/240V/480V	15' Tandem Axle	Pintle Hitch; 5230 lbs
DGK180	144kW	208V/240V/480V	19' Tandem Axle	Pintle Hitch; 12000 lbs
XQ200	200kW	208V/480V	20' Tandem Axle	Pintle Hitch; 14000 lbs
XQ230	230kW	208V/480V	21' Tandem Axle	Pintle Hitch; 16000 lbs
XQ350	350kW	208V/480V	21' Tandem Axle	Pintle Hitch; 18000 lbs
XQ400	400kW	208V/480V	22' Tandem Axle	Pintle Hitch; 32000 lbs
XQ425	375kW	208V/240V/480V	25' Tandem Axle	Pintle Hitch; 22130 lbs

POWER RENTAL EQUIPMENT LIST

LIGHT TOWERS



MODEL	GENERATOR	LIGHTING	MAST	TOWING
Allmand Night-Lite*	6kW	4-Head 1000W	Vertical	2" Ball / 3" Pintle; 2200 lbs
Allmand Night-Lite Pro II	8kW	4-Head 1250W	Vertical	2" Ball / 3" Pintle; 2200lbs

AUTOMATIC TRANSFER SWITCHES (ATS)



MODEL	SPECIFICATIONS
ABB, Zenith, Cat, Trystar	400A to 1200A

AIR COMPRESSORS



MODEL	AIR PERFORMANCE	TOWING
XAVS400	393 cfm @ 200 psi	Pintle Hitch; 4000 lbs
XAS950	949 cfm @ 150 psi	Pintle Hitch; 13000 lbs
XRVS1000	974 cfm @ 500 psi	Pintle Hitch; 14800 lbs
XATS1050	1020 cfm @ 150 psi	Pintle Hitch; 12800 lbs
XAS1800	1800 cfm @ 100 psi	Pintle Hitch; 18700 lbs

COMPRESSED AIR EQUIPMENT ACCESSORIES



MODEL	SPECIFICATIONS
2" Boss Air Hose	600PSI
3" Boss Air Hose	600PSI
1" Chicago Air Hose	
1.5" Chicago Air Hose	
2" Chicago Air Hose	
Various Fittings/Unions Available	
Hose Whips	

VERTICAL I-LINE PANELS



MODEL	SPECIFICATIONS
Trystar	800A and 1200A

*Airstar Balloon light attachment available.

POWER RENTAL EQUIPMENT LIST

LOAD BANKS



MODEL
Crestchic

SPECIFICATIONS
20kW – 3.3MW

TOWING (3.3 only)
With 25' tandem axle trailer; 5th Wheel Trailer
Must be accompanied by a service technician

TRANSFORMERS



MODEL	SPECIFICATIONS
Trystar	75kVa
Trystar	150kVa
Trystar	150kVa
Vantrans	2500kVa
Vantrans	3500kVa
Vantrans	5000kVa

VOLTAGE
480V:208V
480V:208V
208V:208V
480V to 14400V
480V to 14400V
480V to 14400V

ADDITIONAL INFORMATION
Step Down
Step Down
Isolation
Skid Mounted
Skid Mounted
Skid Mounted

FUEL TANKS




MODEL
250-1000 Gallon

SPECIFICATIONS
Double wall containment

TOWING
Equipped with nozzle; Skid or trailer

TEMPORARY FENCING



SPECIFICATIONS
12'X6' - Fence Clamps, Stands, Privacy Screens

SPILL CONTAINMENT BERMS

















6'X10'	8'X14'
10'X10'	10'X50'
12'x25'	12'X50'

8'X16'
10'X25'

POWER RENTAL EQUIPMENT LIST

POWER DISTRIBUTION EQUIPMENT

	MODEL	SPECIFICATIONS	CONNECTORS
	200A Distribution Boxes	3 phase cam inlet to (6) 50A 120/240V	California style Twist-Lock receptacles
	50A Spider Boxes	125/250V	Twist-Lock inlet/outlet to (6) 20A straight blade & (1) 30A twist receptacles
	Cable Crossover Protector Ramps	3' Length	(5) Channels at 1 1/4" Each
	ADA Cable Crossover Protector Ramps	4' 2" Length	(5) Channels at 1 1/4" Each
	4/0 Cable	400A Type W. 10', 25', 50' Lengths	Series 16 Cam-type
	#2 Cable	150A Type SC. 10', 25', 50', 100' Lengths	Series 16 Cam-type
	50A Distribution Cords	6/4 SOOW. 25', 50', 100' Lengths	CS Twist-Lock Connectors/Plugs
	4/0 (15kV) Cable	50' Lengths	2 Hole Lugs
	Quad Box Stringers	(6) GFCI Receptacles	L21-20 Connectors/Plugs
	Quad Extensions	10'-50' Lengths	L21-20 Connectors/Plugs
	Turnarounds	Female - Female, Male - Male	Series 16 Cam-type
	CAM Tee	(F - M - M), (M - F - F)	Series 16 Cam-type
	CAM 3Fer	(M - F - F - F)	Series 16 Cam-type
	Soft 3Fer	Female to (3) Males, Male to (3) Females	Series 16 Cam-type



PUMP RENTAL, SALES & SERVICE

Whether you're dealing with straightforward dewatering tasks or serious sewage-wastewater challenges, Cashman Equipment has the industrial pump solutions you need for the jobsite or mine site. Our highly-trained installation staff can offer a complete turnkey system for just about any liquid-handling project. Our pumps offer industry-leading high fuel efficiency, easy maintenance, and extreme durability. All pumps are available for rent and purchase. We offer diesel, electric auto-prime centrifugal as well as submersible pumps.

- Complete pump solution packages
- On-site pump monitoring
- Professional assistance in design & application
- Pump web-based telemetry
- Pump installation crews available
- 10,000 sq. ft. repair & rebuild facility for all pump types and manufacturers
- Laser alignment service
- Dredge service
- HDPE pipe fusion
- Submersible Pumps



Reno
775.332.2406

Henderson
702.639.5032

Elko
775.778.6524

DIESEL PUMPS

STANDARD TRASH



MODEL	SIZE	MAX FLOW	MAX HEAD	MAX SOLIDS	TOWING
4GSTAP	4"X4"	1250 GPM	116'	3"	3250 lbs Trailer/Skid
6GSTAP	6"X6"	2750 GPM	165'	3"	5350 lbs Trailer/Skid
8GSTAP	8"X8"	3400 GPM	165'	4"	6100 lbs Trailer/Skid
12GSTAP	12"X12"	8400 GPM	115'	4"	8600 lbs Trailer/Skid
18GSTAP	18"X14"	12500 GPM	135'	4"	10900 lbs Trailer/Skid

STANDARD HIGH HEAD



MODEL	SIZE	MAX FLOW	MAX HEAD	MAX SOLIDS	TOWING
4GSHAP	4"X3"	1375 GPM	380'	5/8"	4200 lbs Trailer/Skid
6GSHAP	6"X4"	2100 GPM	380'	7/8"	5100 lbs Trailer/Skid
8GSHAP	8"X6"	3500 GPM	340'	1-3/8"	8100 lbs Trailer/Skid
12GSHAP	12"X8"	4800 GPM	330'	1-1/2"	9400 lbs Trailer/Skid

HIGH PERFORMANCE HIGH HEAD



MODEL	SIZE	MAX FLOW	MAX HEAD	MAX SOLIDS	TOWING
4GHHAP	4"X3"	425 GPM	520'	5/8"	7600 lbs Trailer/Skid
6GHHAP	6"X4"	1250 GPM	606'	7/8"	11100 lbs Trailer/Skid
8GHHAP	8"X6"	2375 GPM	606'	1-3/8"	12600 lbs Trailer/Skid
12GHHAP*	12"X10"	7,950 GPM	648'	2-1/2"	Trailer/Skid

HIGH HEAD TRASH



MODEL	SIZE	MAX FLOW	MAX HEAD	MAX SOLIDS	TOWING
4GHTAP	4"X4"	1600 GPM	175'	3"	3500 lbs Trailer/Skid
6GHTAP	6"X6"	3200 GPM	220'	3"	5550 lbs Trailer/Skid
8GHTAP	8"X8"	4400 GPM	230'	4"	7200 lbs Trailer/Skid
12GHTAP	12"X12"	8800 GPM	135'	4"	10900 lbs Trailer/Skid
18GHTAP*	18"X18"	15,000 GPM	177'	4"	Skid Only
24GHTAP*	24"X18"	16,000 GPM	237'	4"	Skid Only

SPECIALIZED PUMPS



MODEL	SIZE	MAX FLOW	MAX HEAD	MAX SOLIDS	TOWING
Centrifugal Wellpoint	4", 6", 8"	700-1950 GPM	102'-108'	5/8" - 7/8"	Trailer/Skid
Rotary Wellpoint	6", 8", 12"	650-2650 GPM	50'	1-1/2" - 2-1/2"	Trailer/Skid
Piston Wellpoint	6"	360 GPM	81'	Clean Water Only	Skid

PUMP ACCESSORIES

FILTRATION



MODEL	FLOW RATE	MAX PRESSURE	WEIGHT	MISC.
BF-500 Bag Filter System	500 GPM	75 PSI	850 lbs	Skid mounted
BF-1000 Bag Filter System	1000 GPM	75 PSI	850 lbs	Skid mounted

FLOW METERS



MODEL	SIZE	MISC.
Seametrics iMag 4700 Series	3", 4", 6", 8", 10", 12"	150 lb. ANSI Pattern, 150 PSI

FRAC TANKS



- 21,000 to 10,000 gallon capacity portable storage tank
- 8,400 to 18,000 gallon open top weir tanks
- 21,000 gallon mix tanks
- 20-yard roll-off phase separators

ROAD RAMPS



MODEL	WIDTH	INLET
8"X20'*	48"	(2) 8"
12"X12'*	48.5"	(2) 12"
12"X24'*	188"	(2) 18"

SPILL CONTAINMENT BERMS



6'X10'	8'X14'	8'X16'
10'X10'	10'X25'	10'X50'
12'x25'	12'X50'	

HOSE, PIPES & FITTINGS



- 1"-14" Suction Hoses
- ¼"-12" Discharge Hoses
- 1"-8" Lay-flat Discharge Hoses
- 3"-12" Piping Aluminum, Steel, Groove and QD
- 2"-36" HDPE Pipe

*Net vehicle width 12'; optional 20'

AIR OPERATED DIAPHRAGM (AODD) PUMPS

PUMPS 2000 - 1/2"



P15BY01	1/2" Ball Valve Yellow
P15BR01	1/2" Ball Valve Red
P15BE01	1/2" Ball Valve Ebony
P15BB01	1/2" Ball Valve Blue

PUMPS 2000 - 1"



P25BY02	1" Ball Valve Yellow
P25BR02	1" Ball Valve Red
P25BE02	1" Ball Valve Ebony
P25BB02	1" Ball Valve Blue
P25SY02	1" Slurry Valve Yellow
P25SR02	1" Slurry Valve Red

PUMPS 2000 - 1.5"



P40BY02	1.5" Ball Valve Yellow
P40BY02	1.5" Ball Valve Yellow - w/ Urethane (Green) Diaphragms
P40BY02S	1.5" Ball Valve Yellow (Split)
P40BR02	1.5" Ball Valve Red
P40BE02	1.5" Ball Valve Ebony
P40BB02	1.5" Ball Valve Blue

Yellow Series – Nylon Blend. Suitable for general water and slurry conditions.

Red Fras (Fire Retardant Anti-Static) –Nylon Blend ATEX Certified suitable for continuous use in hazardous explosive atmospheres.

Blue Series – Polypropylene ATEX Certified. Suitable for a wide range of acids, caustics and other chemicals.

Ebony Series – Noryl Blend ATEX Certified. Suitable for wide range of acids and other chemicals.

AIR OPERATED DIAPHRAGM (AODD) PUMPS

PUMPS 2000 - 2"




P50BY02	2" Ball Valve Yellow
P50BY02	2" Ball Valve Yellow - w/ Urethane (Green) Diaphragms
P50BR02	2" Ball Valve Red
P50BE02	2" Ball Valve Ebony
P50BB02	2" Ball Valve Blue
P50SY02S	2" Slurry Valve Yellow
P50SR02S	2" Slurry Valve Red
P50SB02S	2" Slurry Valve Blue
DS50BY02	2" Ball Valve Yellow - Two Stage (High Head)
DS50BR02	2" Ball Valve Red - Two Stage (High Head)
DS50SY02	2" Slurry Valve Yellow - Two Stage (High Head)

PUMPS 2000 - 3"



P75BY02	3" Ball Valve Yellow
P75BY02	3" Ball Valve Yellow - w/ Urethane (Green) Diaphragms
P75BR02	3" Ball Valve Red
P75BB02	3" Ball Valve Blue
HV75BY02	3" Ball Valve Yellow (High Volume)

PUMPS 2000 - 4"



HV100SY02	4" Slurry Valve Yellow (High Volume)
-----------	--------------------------------------

Yellow Series – Nylon Blend. Suitable for general water and slurry conditions.

Red Fras (Fire Retardant Anti-Static) –Nylon Blend ATEX Certified suitable for continuous use in hazardous explosive atmospheres.

Blue Series – Polypropylene ATEX Certified. Suitable for a wide range of acids, caustics and other chemicals.

Ebony Series – Noryl Blend ATEX Certified. Suitable for wide range of acids and other chemicals.

SUBMERSIBLE PUMPS

WASTEWATER & EFFLUENT PUMPS— FN SERIES



HORSEPOWER
2 – 5 hp

MAX FLOW
112 – 345 GPM

MAX HEAD
31' – 90'

DISCHARGE
2" – 3"

MAX SOLIDS
1.5" – 3"

STAINLESS STEEL – SA/SF SERIES



HORSEPOWER
0.5 – 15 hp

MAX FLOW
96 – 515 GPM

MAX HEAD
53' – 182'

DISCHARGE
2" – 3"

DEWATERING – HD/BD SERIES



HORSEPOWER
1.5 – 30 hp

MAX FLOW
113 – 950 GPM

MAX HEAD
64' – 190'

DISCHARGE
2" – 6"

DEWATERING PUMPS – IC SERIES



HORSEPOWER
1.5 – 10 hp

MAX FLOW
100 – 690 GPM

MAX HEAD
64' – 135'

DISCHARGE
2" – 6"

SLURRY DEWATERING— HDG SERIES



HORSEPOWER
0.5 – 10 hp

MAX FLOW
62 – 670 GPM

MAX HEAD
40' – 119'

DISCHARGE
2" – 6"

LARGE VOLUME – L SERIES



HORSEPOWER
0.5 – 20 hp

MAX FLOW
217 – 2475 GPM

MAX HEAD
12' – 32'

DISCHARGE
4" – 12"

ELECTRICAL



HORSEPOWER
1.2 – 75 hp

MAX FLOW
150 – 3800 GPM

MAX HEAD
58' – 460'

DISCHARGE
2" – 6"

VOLTAGE
230V/460V –
460V/575V/3P

GRINDER PUMPS – GF SERIES



HORSEPOWER
1 – 15 hp

MAX FLOW
32 – 89 GPM

MAX HEAD
67' – 145'

DISCHARGE
1.25" – 2"

SUBMERSIBLE PUMPS

AXIAL PUMPS— LA SERIES



HORSEPOWER
50 – 100 hp

MAX FLOW
9,050 – 18,400 GPM

MAX HEAD
16' – 22'

DISCHARGE
22" – 28"

PORTABLE DEWATERING PUMPS – GDS/GDR SERIES



HORSEPOWER
0.5 – 1 hp

MAX FLOW
26 – 76 GPM

MAX HEAD
46' – 54'

DISCHARGE
½"

DEWATERING – A SERIES



HORSEPOWER
0.5 – 3 hp

MAX FLOW
58 – 165 GPM

MAX HEAD
36' – 119'

DISCHARGE
2" – 3"

MAX SOLIDS
0.25" – 1"

DEWATERING SUMP PUMP – AN SERIES



HORSEPOWER
1 – 5 hp

MAX FLOW
80 – 345 GPM

MAX HEAD
65' – 102'

DISCHARGE
2" – 3"

MAX SOLIDS
0.25" – 0.5"

DEWATERING – AL SERIES



HORSEPOWER
2 – 15 hp

MAX FLOW
155 – 520 GPM

MAX HEAD
51' – 175'

DISCHARGE
2" – 3"

MAX SOLIDS
0.75"

SEWAGE & WASTEWATER – AF SERIES



HORSEPOWER
0.5 – 60 hp

MAX FLOW
138 – 7850 GPM

MAX HEAD
66' – 178'

DISCHARGE
2" – 14"

MAX SOLIDS
1.25" – 4.75"

GRINDER PUMPS – AFC SERIES



HORSEPOWER
2 – 10 hp

MAX FLOW
244 – 490 GPM

MAX HEAD
52' – 180'

DISCHARGE
3" – 4"

MAX SOLIDS
2.5"

EFFLUENT PUMPS – F SERIES



HORSEPOWER
0.5 – 1 hp

MAX FLOW
58 – 143 GPM

MAX HEAD
31' – 50'

DISCHARGE
2" – 3"

MAX SOLIDS
0.5" – 2"

2023 CALENDAR

JANUARY 2023

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

FEBRUARY 2023

S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28				

MARCH 2023

S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

APRIL 2023

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
	²³ ₃₀	24	25	26	27	28
		29				

MAY 2023

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

JUNE 2023

S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

JULY 2023

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
²³ ₃₀	²⁴ ₃₁	25	26	27	28	29

AUGUST 2023

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

SEPTEMBER 2023

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

OCTOBER 2023

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				


NOVEMBER 2023

S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

DECEMBER 2023

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
	²⁴ ₃₁					

**CASHMAN EQUIPMENT'S OFFICES ARE CLOSED ON THE INDICATED DAYS.
AFTER HOURS SERVICES ARE AVAILABLE. PLEASE CALL US AT 1.800.937.2326.**



**ELKO SALES/
RENTAL/SERVICE**
5010 Idaho Street
Elko, Nevada 89801
Phone 775.778.6588

RENO/SPARKS
600 Glendale Avenue
Sparks, Nevada 89431
Phone 775.332.5450

ELKO PARTS WAREHOUSE
4218 Ruby Vista Drive, Suite 100
Elko, Nevada 89801
Phone 775.778.6517

ROUND MOUNTAIN
P.O. Box 1398
Round Mountain, Nevada 89045
Phone 775.377.2018

HENDERSON
CORPORATE HEADQUARTERS
3300 Saint Rose Parkway
Henderson, Nevada 89052
Phone 702.566.4240

SUSANVILLE
3030 Riverside Drive
Susanville, California 96130
Phone 530.255.2922

NORTH LAS VEGAS
1225 Rockpebble Avenue
North Las Vegas, Nevada 89030
Phone 702.633.4566

WINNEMUCCA
3050 Railroad Street
Winnemucca, Nevada 89445
Phone 775.625.8589

1.800.937.2326

WWW.CASHMANEQUIPMENT.COM

CASHMAN 

an Empire Southwest Company